



MATERIAL SAFETY DATA SHEET

OSHA-MEETS 29 CFR 1910.1200 STANDARDS

	HMIS HAZARD RATINGS		
HEALTH	0	0=INSIGNIFICANT	3= HIGH
FLAMMABILITY	0	1=SLIGHT	4= EXTREME
REACTIVITY	0	2=MODERATE	
TRANSPORTATION INFORMATION			
PROPER SHIPPING NAME:	NOT REGULATED		
HAZARD CLASS/DIVISION:	NONE	REF:	NOT APPLICABLE
IDENTIFICATION NUMBER:	NONE	LABEL:	NONE REQUIRED

SECTION 1 – PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST

Page 1 of 2

STARDEK RESIN

MANUFACTURER'S NAME

EMERGENCY TELEPHONE NUMBER

Chemtrek (800) 424-9300

TELEPHONE NUMBER FOR INFORMATION

(813) 655-4880

DATE PREPARED: August 27, 1999

SUPERCEDES:

Color Crown Corporation
928 E. Sligh Ave.
Seffner, Florida 33612

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS

CAS#

%

ACGIH TWA

ACGIH STEL

SARA

RQ

(SPECIFIC CHEMICAL IDENTITY:COMMON NAME(S)

(OPTIONAL)

PPM MG/M3

PPM MG/M3

TITLE 111

LBS

No hazardous materials present as defined in 29 CFR 1910.1000, 40 CFR 260-281, 302, 355, 370, 372 or WHMIS.

SECTION 3 – HEALTH HAZARD DATA

ROUTES OF ENTRY – SIGNS AND SYMPTOMS OF EXPOSURE

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: None expected, however certain individuals may
Be sensitized and experience minor nausea or headaches.

Remove victim to fresh air, if symptoms persist, seek medical attention.

SKIN: None expected, however, prolonged contact may cause
Irritation.

Remove contaminated clothing; wash affected area with soap and water, launder
Contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Contact with eyes may cause irritation.

Flush eyes with water for 15 minutes; if irritation persists, seek medical attention.

INGESTION: May cause gastric distress, vomiting and diarrhea.

Give 2 glasses of water for dilution ; DO NOT induce vomiting; seek medical attention.

HEALTH HAZARDS (ACUTE AND CHRONIC): Acute effects are possible irritation and discomfort; no known chronic effects have been established.

CARCINOGENICITY: NPT? No IARC MONOGRAPHS? No OSHA REGULATED? No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Pre-existing skin, eye, or respiratory disorders may become aggravated through prolonged exposure.

SECTION 4 – FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)

FLAMMABLE LIMITS

LEL:

UEL

Non-flammable

Not applicable

Not applicable

EXTINGUISHING MEDIA

CO2; water; water fog; dry chemical; chemical foam

SPECIAL FIRE FIGHTING PROCEDURES

Keep drums cool with water spray to prevent drum rupture due to steam buildup; floor will become slippery if material is released.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

SECTION 5 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills – wash to sanitary sewer with plenty of water. Large spills – confine spill, soak up with approved absorbent, shovel product into approved container for disposal. Wash area with plenty of water.

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

STARDEK RESIN

Page 2 of 2

Date: August 30, 1999

SECTION 6 – HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children; minimize body contact with this product as well as all chemicals in general.

SECTION 7 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION (SPECIFY TYPE): None required; if misting occurs, NIOSH approved respirator capable of removing particulate from air must be worn.

VENTILATION LOCAL EXHAUSE: Not necessary SPECIAL: None
MECHANICAL (GENERAL): Yes OTHER: None

PROTECTIVE GLOVES: Neoprene or rubber EYE PROTECTION: Safety Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

SECTION 8 – PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT SPECIFIC GRAVITY (WATER=1)
212°F 1.034

VAPOR PRESSURE (MM HG) pH
17mm @ 20°C 9.0-9.5

VAPOR DENSITY (AIR=1) EVAPORATION RATE (WATER = 1)
<1 <1

SOLUBILITY IN WATER % VOLATILE (BY WT)
Emulsion 75%

APPEARANCE AND ODOR VOLATILE ORGANIC COMPOUNDS (VOC'S)
Milky – white liquid, slight ammoniacal odor <0.1 lbs/gal

SECTION 9 – STABILITY AND REACTIVITY

STABILITY CONDITIONS TO AVOID
UNSTABLE: STABLE: XXX Extreme temperatures

INCOMPATIBILITY (MATERIALS TO AVOID):
Strong oxidizers, strong acids

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:
Thermal decomposition may yield CO; CO₂

HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID
MAY OCCUR: WILL NOT OCCUR: XXX None

SECTION 10 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

Color Crown Corporation • 928 Sligh Ave. • Seffner, FL 33584 • (800) 282-1599 • www.stardek.com

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.